


## STEEL LINTEL SCHEDULE (FOR BRICK) 3'-II" OR LESS - L-3.5X3.5XI/4" 4'-II" - L-3.5X3.5X5/I6" 5'-II" - L-4"X3.5"X5/I6" 6'-II" - L-4"X3.5"X5/I6" 7'-IO" - L-4"X3.5"X5/I6" 8'-10" - L-5"X3.5"X3/8" - ASPUALT SUINGLES. 9'-II" - L-6"X4"X3/8" FIN CEILING EXTERIOR STRUCT, COLUMN 2X6 STUDS 7/16\* ASPENITE SHEATHING I' AIR SPACE 3.5\* BRICK VENEER FINISH ABOVE AT EXT. COLUMN. PORCH ∕w3\ w<sub>3</sub> SLOPE GRADE AWAY FROM DWELLING SLOPE GRADE AWAY FROM DWELLING REINF, CONC. STOOP ON 12" GRAVEL BASE /w4\ IO' CONCRETE BLOCK FOUNDATION WAILL TO — ACCOMMODATE BRICK EXTERIOR 20"X8" . CONC. FOOTING 2-15M REBAR. CONT.



RIGHT ELEVATION

LEFT ELEVATION

## BRAVO CONSTRUCTION RESIDENTIAL BUILDERS

DEC 2020	SCALE: 1/8"=1'-0"
DRAWING	DWG.
ELEVATIONS	A-5