

Complete Streets Design Guidelines

Presented To:	City Council
Meeting Date:	June 24, 2025
Type:	Managers' Reports
Prepared by:	LyAnne Chenier Linear Infrastructure Services
Recommended by:	General Manager of Growth and Infrastructure

Report Summary

This report provides a recommendation regarding an overview of the Complete Streets Design Guidelines. The guidelines establish updated standards for street design that support a safer, more accessible, and sustainable transportation network for all users across Greater Sudbury.

Resolution

THAT the City of Greater Sudbury approves the Complete Streets Design Guidelines, as outlined in the report entitled “Complete Streets Design Guidelines” from the General Manager of Infrastructure Services, presented at the City Council meeting on June 24, 2025.

Relationship to the Strategic Plan, Health Impact Assessment and Climate Action Plans

This report refers to “providing quality multimodal transportation alternatives for roads, transit, trails, paths, sidewalks, and connecting neighbourhoods and communities within Greater Sudbury” which is identified in the Strategic Plan under the strategic objective of Create a Healthier Community. This report also supports the “achieve 35% active mobility transportation mode share by 2050” as identified in the City of Greater Sudbury Community Energy and Emissions Plan (CEEP) by improving walking infrastructure.

Financial Implications

There are no financial implications associated with this report.

The Complete Street Design Guideline provides a set of consistent guidelines and tools to inform the design and implementation of road infrastructure projects within the capital budget and is subject to Council approval.

Any incremental operating costs from new or expanded assets are reflected within the budget document for Council’s consideration in conjunction with approval of the capital budget.

Introduction

The City's 2016 Transportation Master Plan identified the need for a Complete Streets Policy, which Council approved in 2018 to ensure roads are designed for all users, including pedestrians, cyclists, transit riders, and drivers of all ages and abilities. The Complete Streets Design Guidelines build on this foundation by offering consistent, context-sensitive direction for how streets should be planned and designed across Greater Sudbury.

One of the key goals of the guidelines is to support more informed decisions about the intended role of each street—whether the priority is movement, placemaking, or a balance of both. For example, Larch Street in the downtown core was designed with placemaking in mind, supporting high pedestrian activity, slower vehicle speeds, on-street parking, and features like landscaping, pedestrian-scale lighting, and public amenities. In contrast, our rural arterial roads prioritize movement—designed for higher-speed travel between communities with limited interruptions and minimal streetscape features.

Both types of streets can be considered “complete” when they are designed with their specific context and user needs in mind. The proposed guidelines aim to standardize that approach, ensuring that every street—regardless of its location—includes the elements necessary to safely and efficiently serve its intended users. This report outlines proposed updates to the City's standard road cross sections, including 2:1 ditch slopes, narrower lane widths, wider sidewalks, expanded cycling infrastructure, and enhanced landscaping. These changes aim to improve safety, support active transportation, and make more efficient use of the right-of-way while helping to build a more inclusive and sustainable transportation network.

Complete Streets Design Guidelines for Greater Sudbury

The guidelines aim to ensure safe, accessible, and sustainable transportation for all users, building on the 2018 Complete Streets Policy. Each street has a unique role and context, requiring a sensitive, context-driven design approach.

Key Objectives:

- **Context-sensitive Design:** Tailor street designs to their specific roles within the transportation network.
- **Vibrant Public Spaces:** Design streets to attract pedestrians, cyclists, and community members, encouraging social interaction and local commerce.
- **Prioritize Transit and Active Transportation:** Integrate safe and efficient walking, cycling, and transit options to reduce dependency on private vehicles.
- **Safety and Accessibility:** Ensure streets accommodate users of all ages and abilities, promoting inclusivity and supporting a healthier community.
- **Connectivity:** Enhance the connectivity of the transportation network by linking key destinations.
- **Cost-effectiveness:** Consider environmental, social, and economic benefits and costs in street design to improve long-term resiliency.

By integrating Complete Streets principles, Greater Sudbury will create a sustainable, inclusive, and efficient transportation system, enhancing quality of life, reducing emissions, and boosting community engagement. These design changes will support city growth, economic activities, and public health, complementing the City's commitment to increasing transit service hours and promoting active mobility. This investment will ensure greater accessibility and convenience, encouraging sustainable commuting options. Incorporating Complete Streets will also improve safety and accessibility, boost economic growth through higher property values and lower vehicle operating costs, create vibrant social spaces, and reduce carbon emissions while enhancing green spaces.

Review Process

The review of proposed road cross section changes included public consultations, stakeholder feedback, and analysis of existing guidelines. Key focus areas were lane widths, sidewalk widths, ditch slopes, landscaping, snow storage, and emergency vehicle access. The goal was to develop guidelines aligning with industry standards, best practices, and the city's climate. The review considered the City's Official Plan, Transportation Master Plan, Community Energy and Emissions Plan (CEEP), and Accessibility for Ontarians with Disabilities Act (AODA), supporting sustainable and active transportation and broader strategic goals. These guidelines ensure the infrastructure meets all road users' needs.

Lane Widths

The review included the Geometric Design Guidelines for Low-Volume Roads, which provide recommendations for designing roads with average daily traffic volumes of up to 2,000 vehicles per day, specifically on local and minor collector roads. Studies show that narrower lanes help reduce vehicle speeds, which in turn lowers the frequency and severity of collisions. A common misconception is that narrowing lanes leads to congestion. However, the Transportation Research Board's Highway Capacity Manual shows that reducing lane widths to 3 metres doesn't affect the amount of traffic a road can handle, especially when intersections interrupt the flow of traffic. Traffic flow on city roads is mostly influenced by intersections, not the speed between them. The current standards for roads in Greater Sudbury are 6.7 metres for rural roads and 9 metres for urban roads. The Complete Streets Design Guidelines propose narrowing lane widths to 3.5 metres across arterial and collector road cross sections and local road widths of 7.5 metres for urban streets and 6 metres for rural streets. Since local and minor collector roads make up approximately 95% of the City's entire road network, these changes would have a significant impact on overall road safety by reducing speeds and improving the driving environment.

Sidewalks

The guidelines propose widening sidewalks from 1.5 metres to 1.8 metres to better accommodate mobility devices and strollers. This will improve pedestrian mobility, especially in high foot traffic areas.

Ditch Slope Analysis (2:1 vs. 3:1)

Using MTO's Roadside Safety Manual, the analysis compared 2:1 slopes with existing 3:1 slopes. The 2:1 slope creates space for sidewalks and bike lanes, enhancing safety without expanding the roadway. Both designs have low expected collision frequencies, supporting their safety.

Landscaping

Integrating trees and landscaping aligns with the Urban Forest Master Plan and the City's Official Plan, enhancing the urban tree canopy. These features offer aesthetic and environmental benefits, such as improved air quality and stormwater management. While landscaping may require ongoing maintenance, it contributes positively to urban health and beauty, enhancing safety by preserving sightlines and minimizing hazards.

Emergency Vehicles

Street design must prioritize access for emergency vehicles, such as fire trucks, which are about 3 metres wide and can extend up to 4.2 metres. The guidelines suggest minimum road widths of 7.5 metres for urban streets and 6 metres with a 0.5-metre shoulder for rural streets. These widths accommodate emergency vehicles while promoting safer driving speeds.

Public Consultation

The Complete Streets Design Guidelines for Greater Sudbury have undergone extensive consultation to ensure they reflect the needs and priorities of the community. This process engaged a diverse range of stakeholders, including transportation professionals, community groups, accessibility advocates, and residents, to create a comprehensive and inclusive plan.

The draft road cross sections were first presented to the Operations Committee in June 2022. Following this, a public consultation period was held, lasting until September 30, 2022. During this time, staff actively engaged with the public at key events such as the Sudbury Market and Rib Fest. Additionally, staff presented the proposed cross sections to various advisory groups, including the Population Health Advisory Committee, the Seniors Advisory Panel, the Community Action Network Chair meeting, and the Development Liaison Advisory Panel (DLAC).

Feedback was collected through surveys, offering residents the opportunity to voice their opinions on critical elements such as cycle tracks, sidewalks, pedestrian amenities, parking, and more. The survey results indicated strong support for safer and more inclusive infrastructure, with a particular emphasis on separated and protected bike lanes, the creation of multi-use paths, and the need for improved pedestrian amenities such as benches and greenery.

Key insights include:

- **Cycle Infrastructure:** Need for dedicated, separated cycling lanes and multi-use paths, especially connecting the city's cycling network.
- **Sidewalks and Pedestrian Safety:** the importance of wide, well-maintained sidewalks, particularly in residential and downtown areas. Winter maintenance and accessibility for people with disabilities were common concerns, with calls for safer pedestrian routes and improved snow removal.
- **Public Transit:** Enhancing public transit infrastructure, including more frequent services, better bus stops, and designated lanes.
- **Parking and Traffic Flow:** There were mixed opinions about on-street parking for businesses in downtown areas, with some supporting its presence for local businesses, while others expressed concern about the negative impact of parking on traffic flow and safety, particularly near busy pedestrian areas. For local residential roads, there is a preference for parking on one side, with a growing emphasis on incorporating cycling infrastructure and ensuring safe, accessible spaces for pedestrians.

Internal stakeholders and operational staff were also consulted for technical feasibility and long-term maintenance considerations. This comprehensive consultation process shaped the guidelines, ensuring they reflect the values and priorities of Greater Sudbury's residents and stakeholders. The feedback will guide the development of safer, more inclusive streets that promote active transportation and improve overall quality of life.

Case Studies and Best Practices

Complete Streets offer several benefits, primarily by promoting road safety through design elements that cater to all modes of transportation. By integrating features such as separated bike lanes, wider sidewalks, and efficient public transit systems, Complete Streets contribute to speed reduction and mode separation, which reduce the frequency and severity of collisions. Studies show that protected bike lanes, for example, have collision rates two to eight times lower compared to roads without infrastructure for bicycles (Cartwright, 2024).

Successful implementations in Ontario include:

Toronto: The [Destination Danforth Complete Streets Pilot Project](#), implemented in 2020, transformed Danforth Avenue by adding protected bike lanes, reducing vehicle lanes, expanding sidewalks, and improving street aesthetics with art and plantings. The project aimed to enhance safety for pedestrians and cyclists, support local businesses with expanded outdoor patios, and facilitate physical distancing during the pandemic. Results included a significant increase in cycling activity (67-133%), a decrease in motor vehicle volumes (15-18%), and a 53% reduction in collisions, especially those involving cyclists. Public perception was largely positive, with 80% of cyclists feeling safer, though concerns about parking and traffic congestion were noted. The pilot received strong community support for making these changes permanent.

Toronto: [The Bloor Street West Bike Lane Pilot Project](#), implemented in 2016, aimed to improve safety and reduce risks for cyclists and other road users on Bloor Street West between Shaw Street and Avenue Road. The project introduced separated bike lanes, reducing vehicle lanes and on-street parking. The pilot saw a 49% increase in cycling volumes, with 25% of those being new cyclists. Safety improvements were noted, with collisions and near-miss conflicts significantly reduced. Despite initial concerns from motorists and businesses about increased travel times, parking issues, and delivery disruptions, the project gained broad support, with cyclists and pedestrians reporting improved safety and comfort. The pilot resulted in increased local business activity and customer spending, particularly from cyclists. Based on the positive outcomes, the project was recommended for permanent implementation, with further design modifications to improve traffic flow and safety.

Markham/Richmond Hill: [The Highway 7 East project](#) focused on transforming a major arterial road into a Complete Street by introducing dedicated lanes for cyclists, expanded sidewalks, and a bus rapid transit (BRT) system. This redesign was aimed at increasing accessibility for all road users, including pedestrians, cyclists, and transit users. The outcomes were substantial: collisions dropped from 250-350 annually to 104 in 2015, with pedestrian counts increasing by 61% from six years prior. The addition of the BRT shortened transit commute times by 30%, while transit ridership rose by 10%. The project also resulted in 16,000 bicycle trips and 126,290 pedestrian trips in 2014 at a key location.

Kitchener: [The transformation of King Street](#) in Kitchener included major pedestrian and environmental improvements. The redesign resulted in nearly 200% more foot traffic, with pedestrian counts increasing from 3,000 to 8,900 daily. Attendance at street festivals also grew from 250,000 to 400,000 annually. Key changes included the addition of 120 street trees for shade and air quality, wider sidewalks, new bike racks, and environmentally friendly planter beds. The number of summer patios increased from 5 to 16, further enhancing the street's vibrancy. These changes contributed to a rejuvenated downtown and won recognition from the International Making Cities Livable Council for revitalizing the area.

Current and Proposed Road Cross section Standards

In Greater Sudbury, road right-of-way (ROW) widths vary from 20 metres for local and collector roads and up to 90 metres for arterial roads. Local roads make up approximately 85% of the network, with 77% of local road cross sections classified as urban or semi-urban (a road with an open ditch on one side of the road and curb and storm sewer on the other side). Collector roads comprise about 11%, and arterial roads about 4% of the network, with roughly 18% of the roads featuring a rural cross section. Approximately 73% of the roads in Greater Sudbury have an Annual Average Daily Traffic (AADT) of 500 or fewer, and about 81% have an AADT of less than 2,000.

In Greater Sudbury, the current urban road cross section features a 9 metre road width, a 1.5 metre sidewalk, and a 1.5 metre boulevard for buffering. Utility trenches are located beneath the sidewalk, and light standards are positioned behind it to avoid obstructions. For rural roads, the cross section includes a 6.7 metre for local roads and 7.3 metre for collector road width with 1 metre gravel shoulders on each side and 3:1 slopes for drainage. There are no sidewalks, though the city has already implemented 2 metre paved shoulders on arterial roads and 1 metre paved shoulders on collector roads for active transportation, which

are not yet reflected in the current standard. Landscaping in road projects typically includes sod for boulevards, tree replacement, restoration work, and benches at transit stops with shelters.

The proposed changes aim to improve road safety and inclusivity by better utilizing the available right-of-way. On rural collector and local roads, key adjustments include implementing 2:1 ditch slopes, narrowing lane widths to 3.5 metres for all cross sections or an overall road width to 6 metres for roads with one lane in each direction and adding a 1.8 metre sidewalk to local roads. For urban roads, the proposal includes widening sidewalks to 1.8 metres to accommodate mobility devices and strollers and reducing overall road widths to 7.5 metres for roads with one lane in each direction or 3.5 metre lanes on multi lane roads. The guidelines also propose adding cycle tracks or bike lanes on collector and arterial roads, and landscaping with trees and shrubs, along with benches for rest areas across all cross sections. Additionally, the guidelines propose parking on one side of local and collector roads that permit it. A summary of notable changes to cross sections is provided in the table below.

Comparison Table

Feature	Current Urban Cross section	Current Rural Cross section	Proposed Changes
Road Width	9 m	6.7 to 7.3 m	7.5 m asphalt road width for urban cross sections and 6 m with 0.5 m gravel (soft) shoulder for rural cross sections or 3.5 m asphalt lanes on multi lane for both urban and rural roads
Sidewalk	1.5 m	No sidewalk is included	Increase width to 1.8 m and add sidewalk to rural local roads in an urban area
Boulevard/Buffer	1.5 m boulevard	1 m gravel shoulder for local roads 1-2 m paved shoulder for Collector and Arterial roads	increase width to 1.8 m boulevard for urban cross sections and 2 m paved shoulder for rural collector roads
Slopes	N/A	3:1 slope	2:1 slope for collector and local rural roads
Landscaping	Sod for boulevards, tree replacement, restoration work, benches at transit stops	Sod for boulevards, tree replacement, restoration work, benches at transit stops	Landscaping with trees and shrubs, benches for rest areas across all cross sections
Cycle Tracks /Bike Lanes	Separated cycle tracks (1.8 m boulevard space) or multi use paths on arterial roads, bike lanes on collector and some local roads	1-2 m paved shoulders for active transportation on collector and arterial roads	Separated cycle tracks (1.8 m boulevard space) or bike lanes on collector and arterial roads
Parking	One or both sides of local and collector roads. No parking permitted on arterial roads	One or both sides of local and collector roads. No parking permitted on arterial roads	Parking on one side of collector and local roads where permitted. No parking permitted on arterial roads

In dynamic street environments, a thoughtful design approach balances the needs of all users. The Guide offers flexible design values while upholding sound engineering principles. It draws on policies and best practices to encourage innovative solutions, ensuring streets align with their specific purpose and future role.

Implementation Strategy

The Complete Streets Design Guidelines were developed to support the Complete Streets policy and provide a consistent approach for integrating key elements into road projects and new roads. These guidelines focus on improving road safety, accessibility, and sustainability.

Currently, when a road is identified for reconstruction, 1.5 metre sidewalks are added on one side of local roads and on both sides of urban collector or arterial roads that do not already have sidewalks. For urban collector and arterial roads, cycle tracks or bike lanes are included where appropriate. For rural collector and arterial roads, 2 metre paved shoulders are added for active transportation.

When developers apply for approval of industrial, commercial, or residential subdivisions, the City requires that the designs for local, collector, and arterial roads (both urban and rural) comply with the same standards as those used in road reconstruction projects.

As part of the Site Plan Control process, developers must include or contribute to the future installation of sidewalks, cycle tracks, or bike lanes. They are also required to include landscaping, like tree planting, along these roads as part of new developments or road improvements resulting from new development.

The City currently has both rural (open ditch) local roads (where lot sizes are larger, and houses are farther apart) and rural local roads in urban areas (where lot sizes are smaller, and houses are closer together). There is currently only one standard for these types of roads. For rural local roads, the Complete Streets Design Guidelines propose a cross-section similar to the current standard, with the key difference being narrower road widths to 6 metres and additional landscaping for trees and shrubs. For rural local roads in urban areas, rather than following the current practice of urbanizing the road (which involves adding curb, gutter, storm sewers, sidewalks, etc.), the Complete Streets Design Guidelines propose a new cross-section that retains the rural character (with open ditches) while narrowing road width to 6 metres, adding a sidewalk and additional landscaping elements such as trees, shrubs, and benches. This new cross-section for rural local roads in urban areas was specifically designed to provide the municipality with an option that avoids full urbanization in already built-up areas, offering a more cost-effective and context-sensitive solution for these neighborhoods.

For urban local roads (which includes curb, gutter, storm sewers, etc.), the cross-section will experience an increase in cost due to wider sidewalks and additional landscaping, but these additional costs will be offset by savings from reduced pavement widths. For rural local roads, the savings from narrower road widths will more than offset the small additional cost for landscaping. For rural local roads in urban areas, there will be cost savings because the new cross-section will not require full urbanization. This new cross-section will remain rural (with open ditches) but will include a sidewalk and some additional landscaping.

For urban collector and arterial roads, there will be an increase in cost due to wider sidewalks and some additional landscaping, but this will be offset by decreased costs from narrower lane widths. Since cycle tracks and bike lanes are already being added to these types of road projects, there will be no change in cost for this element. For rural collector and arterial roads, there will be savings due to narrower lane widths, with a small increase for additional landscaping. Since the 2 metre paved shoulders are already being included in these types of road projects, the amounts for those elements remain the same.

The proposed changes to the Complete Streets Design Guidelines will have a manageable impact on developers' costs and align with current municipal practices. While wider sidewalks may increase initial costs, these are largely offset by savings from narrower road widths that reduce paving requirements. Features like cycle tracks, bike lanes, and paved shoulders are already standard on urban and rural collector roads, so no additional costs are expected in those cases. Developers are required, through the Site Plan Control process, to include or contribute to active transportation infrastructure, which may carry some added costs. For the City, adding sidewalks to local roads is consistent with existing reconstruction standards. Since local roads make up 85% of the network, the proposed changes will improve cost-efficiency and allow for broader implementation of Complete Streets principles.

Long-Term Value

The Complete Streets principles, while presenting initial cost differences across various road types, will provide long-term value primarily through cost savings. As outlined earlier, the savings from narrower lane widths and more efficient use of materials will offset the additional costs of wider sidewalks and landscaping elements. In fact, the cost reductions on local roads (which make up 85% of the network) and the savings from narrower lanes on urban collector, arterial, and rural roads will make the implementation of Complete Streets principles more affordable, freeing up funds to be used for additional road projects.

Features such as sidewalks, trees, and benches typically require less ongoing maintenance compared to asphalt surfaces, which tend to experience wear and tear from weather conditions, leading to potholes and cracks that need patching and sealing. In contrast, sidewalks and landscaping elements tend to be more durable and require fewer repairs, reducing maintenance costs over time.

Additionally, Complete Streets features contribute to environmental and social benefits, such as improved air quality, reduced heat island effect, enhanced stormwater management, and increased safety for all road users. These long-term savings, along with enhanced road safety and accessibility, justify any upfront investments required to integrate Complete Streets principles into Greater Sudbury's road network.

By implementing Complete Streets in a phased, incremental approach (through new development or reconstruction projects), Greater Sudbury can create a more sustainable, accessible, and livable transportation network that benefits all road users, while maintaining budgetary discipline and addressing future growth needs.

Conclusion and Next Steps

The Complete Streets Design Guidelines offer a strategic, flexible approach to transforming Greater Sudbury's transportation network into a safer, more accessible, and sustainable environment. The guidelines are adaptable to the unique context of each road and neighborhood. The city will monitor and adjust the guidelines as needed, incorporating concepts like infill development and low impact development. If adopted, staff will complete a comprehensive review of all relevant City policies, procedures, best practices, and current standards to ensure consistency with Complete Streets principles. This review will ensure that the guidelines continue to align with the objectives of community impact, resource management, sustainable development, and quality control, with the goal of creating a well-organized, livable, and thriving community. The review will consider not only the integration of Complete Streets principles but also the impact from a road maintenance and sustainability perspective, ensuring that future developments are built with long-term viability in mind.

Additionally, staff will develop criteria and guidelines to determine when a rural road cross-section in an urban area can be used for new development. This will help make the decision-making process transparent to the development community, ensuring clarity and consistency in planning and development decisions.

The city's ongoing development of the Roads and Transportation Asset Management Plan will play a critical role in prioritizing capital road projects. During the development of the capital budget, the guidelines will be reviewed to determine which elements should be included in each project, ensuring that funds are allocated efficiently. A key part of this process will be the use of data like past collision history, traffic speeds, and active transportation user volumes to identify areas in need of Complete Streets upgrades. For instance, roads with lower Average Annual Daily Traffic (AADT) and lower speeds may not require dedicated cycling lanes or wider sidewalks, as the needs of these areas may differ. Additionally, the current sidewalk priority index will be reviewed to further guide these decisions. Staff will return with future reports which will expand on the criteria that will be used to guide this decision-making process.

Finally, the guidelines will be utilized during the detailed design phase of future capital projects. Staff will review the existing budget and scope of upcoming planned projects and seek opportunities to incorporate elements of the new guidelines where feasible. For projects that are already in design or underway, the proposed changes will be implemented only where there is no impact on the cost or schedule. Should

Council adopt the guidelines, staff will begin applying the updated cross sections to new design projects moving forward.

This comprehensive, data-driven approach will ensure that taxpayer funds are spent wisely and responsibly, resulting in a transportation network that is both sustainable and effective for the community.

Resources Cited

City of Greater Sudbury: *Transportation Master Plan (2016)*, Accessed online: [Transportation Master Plan](#)

City of Greater Sudbury: *Complete Streets Policy (2018)*, Accessed online: <https://pub-greatersudbury.escribemeetings.com/filestream.ashx?documentid=5548>

City of Greater Sudbury: *Urban Forest Master Plan (2024)*, Accessed online: <https://pub-greatersudbury.escribemeetings.com/filestream.ashx?DocumentId=55627>

City of Greater Sudbury: *Community Energy and Emissions Plan (2019, revised 2021)*, Accessed online: <https://www.greatersudbury.ca/sites/sudburyen/assets/File/Comms/FINAL%20Greater%20Sudbury%20CEEP.pdf>

City of Greater Sudbury: *Official Plan*, Accessed online: <https://www.greatersudbury.ca/city-hall/reports-studies-policies-and-plans/official-plan/official-plan/op-pdf-documents/current-op-text/>

Geometric Design Guidelines for Low-Volume Roads: Ministry of Transportation of Ontario. (2017). *Geometric Design Guidelines for Low-Volume Roads*. Ontario Ministry of Transportation.

Ministry of Transportation of Ontario's (MTO) Roadside Safety Manual: Ministry of Transportation of Ontario. (2019). *Roadside Safety Manual*. Ontario Ministry of Transportation.

Accessibility for Ontarians with Disabilities Act (AODA): Government of Ontario. (2005). *Accessibility for Ontarians with Disabilities Act (AODA)*. Accessed Online: <https://www.ontario.ca/laws/statute/05a11>

The Highway Capacity Manual: Highway Capacity Manual Committee. (2016). *Highway Capacity Manual* (6th ed.). Transportation Research Board.

Cartwright, A. (2024, October 31). *Paving The Way Forward: The Safety Implications of Complete Streets*. Canadian Association of Road Safety Professionals. Accessed Online: <https://carsp.ca/en/news/carsp-news/paving-the-way-forward-the-safety-implications-of-complete-streets-2/>

Smith Lea, N., Mitra, R., & Hess, P. (2016). *Complete Street Transformations in the Greater Golden Horseshoe Region*. Toronto Centre for Active Transportation. Accessed online www.tcat.ca